
## SeiMax DX Coverplate EJs

**SeiMax DX:** An architectural floor expansion joint system with a combination of recessed coverplate and thermoplastic seals. This seismic system is designed to house a range of floor-finishes. The seals and floor-finish provide a flush transition. Seals are purpose-designed with smooth ripples to accommodate more movement than other inferior designs. They are made from dual-durometer santoprene for use in areas where hygiene is imperative. SiDX floor joint systems are prominently used in hospitals....but this type of system can be used for many applications such as apartments, public buildings (museums), retail centres, airport terminals and other commercial buildings.







## Performance

No bump transition Weather / Anti-pathogenic seal Concealed fixings Thermal & seismic movement

## **Compatible Finishes**

Tiles Vinyl Epoxy Exposed Concrete

**Standard Length** 

4.8m

Standard Finish Mill Finish

**Options** 

Clear Anodised





B: Gap **Exposed Width** D:Seal Installation Seismic A: Coverplate C: Width **Gap Width** Product Width Min Mid. Max **Mvm**t Min Mid Max **Movement** Si180/50DX Si230/50DX Si280/50DX Si300/50DX Si180/75DX Si280/75DX Si380/75DX Si480/75DX Block Out: 50mm Seal 75E x 25F x 25G x 25H

Block Out: 75mm Seal 100E x 25F x 25G x 25H

Disclaimer: All design rights reserved. Design and specifications are subject to change without notice. The manufacturer does not accept liability where the material on these pages is misconceived, exploited, or lacks conformity. The intention of this information is to provide a reasonable description of products, procedures and capabilities. Rev.6